EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	228	TCE NEAR3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L2	86	"Translation Control Entry"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L3	1348	hypervisor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L4	61301	DMA ("direct memory access")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L5	68	(L2 L1) AND L3 AND L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L6	22	("6961785" "5634130" "5642506" "6658594" "6802063" "6717594" "6745269" "6728864" "6823375" "6834340" "6820207" "6567897" "6665759" "6842857" "6971002" "6883116" "6865688" "6845470" "6981079" "6886064" "6941436" "6912625").pn.	USPAT	OR	ON	2007/11/24 18:45
L7	39	L5 AND reserv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45

L8	91	(L2 L1) AND L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L9	39	L8 AND L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L10	63	L2 AND "international business machine".AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L11	77	L1 AND "international business machine".AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L12	86	"Translation Control Entry"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L13	228	TCE NEAR3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L14	1348	hypervisor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L15	61301	DMA ("direct memory access")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45

EAST Search History

L16	68	(L12 L13) AND L14 AND L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L17	91	(L12 L13) AND L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L18	39	L16 AND reserv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L19	39	L17 AND L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L20	39	L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L21	28	(L12 L13) SAME (valid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L22	75	(reserving NEAR2 page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L23	150	(reserving NEAR5 page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45

L24	86	"Translation Control Entry"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L25	228	TCE NEAR3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L26	11	(L24 L25) AND (TLB "translation lookaside buffer")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45

| L27 | 196 | ("6173383" "6785759" "6654818" "6976148" "5864876" "5933158" "5999198" "6804741" "6704831" "6012106" "6725284" "5930827" "6397316" "6920519" "5898888" "5623697" "6338119" "6725289" "6223270" "6223270" "4777589" "5301287" "5749093" "5784708" "5913923" "6397379" "5535352" "6886085" "6611883" "6813653" "5761461" "5761462" "5835738" "5913045" "5522050" "5564026" "5581714" "5884027" "5884100" "6141744" "5822612" "5941952" "5970229" "6006303" "6167465" "6326973" "6434645" "6462745" "5664117" "5905509").pn. ("5914730" "5949436" "5990914" "6065104" "6069638" "6223271" "6223271" "6249853" "6282625" "6308248" "6332184" "6418523" "6560688" "5884050" "5943504" "5968153" "6230215" "6456390" "6763473" "6880022" "4797812" "6549959" "6779107" "6789181" "5991854" "6105110" "4550368" "4959770" "5444853" "5586297" "5649230" "5659798" "5754764" "5765022" "5860025" "5937436" "6226695" "6226695" "4283551" "5956743" "4930065" "5251307" "5617424" "4163280" "4827406" "5179709" "5349661" "5586253" "5615392" "5732285").pn. ("5796979" "5870535" "5884093" "5890220" "5930830" "6128684" "6264914" "6304951" "6067595" "6145043" "6622193" "4821185" "5666556" "5768612" "5878272" "6094699" "6112307" "6138183" "6209042" "5450551" "5524235" "5664197" "5717876" "5729762" "5729767" "5734846" "5774681" "5778235" "5862387" "5911084" "5928339" "5937206" "5968144" "5974239" "6044207" "6047349" "6094532" "6134647" "5555383" "5625824" "5673399" "5790869" "5954809" "5990913" "6081852" "6122693" "6167032" "5499346" "5590377" "5671443").pn. ("5708815" "5732279" "5737545" "5768545" "5790831" "5819105" "5832246" "5857085" "5875289" "5890002" "5892977" "5905905" "5968151" "5974478" "5974495" "5978876" "6000043" "6006270" "6014717" "6134623" "6209067" "6216183" "6216183" "5542053" | USPAT | OR | ON | 2007/11/24 18:45 |

11/24/2007 6:50:57 PM
C:\Documents and Settings\sou\My Documents\EAST\Workspaces\10809594 Method to Allow PCI Host Bridge to Handle Pre-fetch Read

Page 5

L28	1	"20050216642"	US-PGPUB	OR	ON	2007/11/24 18:45
L29	3248	(set setting resetting reset) WITH (each every all) WITH (bit) WITH (one "1" "true" "high")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L30	304	L29 AND (memory NEAR3 (test testing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L31	353	L29 AND (memory NEAR5 (test testing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L32	104	(memory NEAR3 (test testing)) AND ((test bit byte) NEAR3 (pattern)) WITH ("FF" "FFFF" "1111" "11111111")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L33	1112	L29 AND memory AND (test testing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L34	0	(set$4 reset$4 format$4) WITH (all every each) WITH (byte) WITH ("0xFF")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L35	135	(set$4 reset$4 format$4) WITH (byte) WITH ("0xFF")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45

L36	2	(set$4 reset$4 format$4 writ$3 stor$3 re-initializ$3 reinitializ$3 initializ$3) WITH (all every each) WITH (byte) WITH ("0xFF")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L37	293	(set$4 reset$4 format$4) NEAR5 ("0xFF") AND memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L38	312	(set$4 reset$4) NEAR5 ("0xFF")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L39	2270	("0xFF")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L40	45	(memory NEAR3 (test testing)) AND ((test bit byte) NEAR3 (pattern)) WITH ("FF" "11111111")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L41	897	(memory NEAR3 (test testing)) AND ((test bit byte) NEAR3 (pattern)) WITH ("FF" "FFFF" "11" "1111" "11111111")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45
L42	6450	(memory NEAR3 (test testing)) AND ((test bit byte) NEAR3 (pattern)) AND ("FF" "FFFF" "11" "1111" "11111111")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:45

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5427	(DMA ("direct memory access")). CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:54
L2	16	((TCE NEAR3 table) "Translation Control Entry").CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:55
L3	81	((reserving reservation reserved reserves reserve) NEAR2 page). CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:56
L5	1	(initializ$5 re-initializ$5 reinitializ$5). CLM. WITH L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 19:06
L6	2	(initializ$5 re-initializ$5 reinitializ$5). CLM. SAME L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 18:57
L7	13	(set setting sets format formats formating reset resets reseting). CLM. WITH L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 19:07
L8	0	L7 AND L2 AND L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 19:07
L9	1	L7 AND L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 19:07

11/24/2007 7:08:08 PM
C:\Documents and Settings\sgu\My Documents\EAST\Workspaces\10809594 Method to Allow PCI Host Bridge to Handle Pre-fetch Read

Page 1

L10	0	L7 AND L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 19:07

11/24/2007 7:08:08 PM
C:\Documents and Settings\sgu\My Documents\EAST\Workspaces\10809594 Method to Allow PCI Host Bridge to Handle Pre-fetch Read

Page 2

Dialog DataStar

| options | logoff | feedback | help |

databases   easy search

INSPEC Search

Advanced Search:
Inspec - 1898 to date (INZZ)

limit

Search history:

No.	Database	Search term	Info added since	Results	
CP		[Clipboard]		0	-
1	INZZ	DMA OR direct ADJ memory ADJ access	unrestricted	3797	show titles
2	INZZ	TCE NEAR table OR Translation ADJ Control ADJ Entry	unrestricted	2	show titles
3	INZZ	(reserving OR reservation OR reserved OR reserves OR reserve) NEAR page	unrestricted	14	show titles
4	INZZ	(initializ$5 OR re-initializ$5 OR reinitializ$5) WITH 3	unrestricted	0	-
5	INZZ	(initializ$5 OR re-initializ$5 OR reinitializ$5) SAME 3	unrestricted	0	-
6	INZZ	(set OR setting OR sets OR format OR formats OR formating OR reset OR resets OR reseting) WITH 3	unrestricted	0	-
7	INZZ	4 ADJ 5 ADJ 6 AND 1 AND 2	unrestricted	0	-
8	INZZ	6 AND 1 AND 2	unrestricted	0	-
9	INZZ	6 AND 2	unrestricted	0	-
10	INZZ	6 AND 1	unrestricted	0	-

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): Search tips   ☐ Thesaurus mapping

| | whole document | ▼ | 𝒊 |

Information added since: [   ] or: [none ▼]
(YYYYMMDD)

search

☐ Images

Select special search terms from the following list(s):